




PERF[®]BASIC[®]







DRAAGLIJST

per stuk (links/rechts)
materiaal: RVS K240

TRAGLEISTE

pro Stück (Links/Rechts)
Material: Edelstahl K240

SUPPORTING BEAM

per piece (left/right)
material: stainless steel K240

75.25TL1200L

75.25TL1200R

75.25TL1950L

75.25TL1950R

BEVESTIGINGSSCHROEVEN

per stuk
materiaal: RVS
maat: 4x35 mm

BEFESTIGUNGSSCHRAUBEN

pro Stück
Material: Edelstahl
Abmessung : 4x35 mm

FASTENING SCREWS

per piece
material: stainless steel
dimension: 4x35 mm

75S3

(16 x voor/für/for L= 1200 mm)
(26 x voor/für/for L= 1950 mm)

DRAAGLIJST INBOUW

per stuk

materiaal: aluminium/staal

ALUMINIUM PROFIL

pro Stück

Material: Aluminium/Stahl

ALUMINIUM PROFILE


per piece

material: aluminium / steel

75.25AL2100

75.25AL1350

75.25AL375



VERBINDINGSPENNEN

per set van 2 stuks

materiaal: staal verzinkt

VERBINDUNGSBOLZEN

pro Satz à 2 Stück

Material: Stahl verzinkt

CONNECTING BOLT


per set à 2 piece

material: steel galvanised

75.25AL375

Verlengstuk
Verlängerung
Extension

75AL.VB



75AL.VB

EINDSTUK

per set van 2 stuks

materiaal: aluminium

ENDSTÜCK

pro Satz á 2 Stück

Material: Aluminium


END PIECE

per set á 2 pieces


material: aluminium

75AL.ES

Eindstuk
Endstück
End piece



75AL.ES



75AL.ES



Einstück
Endstück
End piece

RUGWANDHOUDER

per set van 10 stuks
materiaal: staal


RÜCKWANDHALTER

pro Satz á10 Stück
Material: Stahl

PANEL HOLDER


per set á 10 pieces
material: steel

75AL.RWH



75AL.RWH

Rugwandhouder
Rückwandhalter
Panel holder



STELVOET

per stuk
materiaal: RVS

STELLTELLER

pro Stück
Material: Edelstahl


FOOT DISK

per piece
material: stainless steel

75AL.ST
75ALD.ST


voor / für / for

75AL.ST






voor / für / for

75ALD.ST





Stelvoet
Stellteller
Foot disk






75.25WK1




75.25WK2

Paneel moet tegen doorbuigen versterkt worden met lengteribben
 Paneel muss gegen das Durchbiegungen mit Holzrippen ausgesteift werden
 Panels must be toughened against bowing with wooden ledges




Opvullen met 75.25WK.US
 Ausgleichen mit 75.25WK.US
 Shimming by 75.25WK.US



10-19

75.25WK.US



WANDDOP

per stuk
 materiaal: RVS

WANDKNOPF

pro Stück
 Material: Edelstahl

POINT

per piece
 material: stainless steel

75.25WK1

75.25WK2

OPVULRING

per set van 10 stuks
 materiaal: Nylon

AUSGLEIHSCHIEBE

pro Satz à 10 Stück
 Material: Polyamid

SHIM

per set á 10 pieces
 material: Nylon

75.25WK.US

HOUTSCHAPDRAGER


per paar
materiaal: RVS K240
max. belasting 20 kg per drager

TRÄGER für Holzboden

pro Satz
Material: Edelstahl K240
Max. Belastung 20 kg pro Träger

BRACKET for wood schelf

per pair
material: stainless steel K240
max. weight load
per bracket 20 kg



75.25T19.255

75.25T19.305

75.25T19.355


75.25T19.405

75.25T25.255

75.25T25.305

75.25T25.355

75.25T25.405



HOUTSCHAPDRAGER schuin



per paar
materiaal: RVS K240
max. belasting 20 kg per drager

TRÄGER schräg

für Holzboden
pro Satz
Material: Edelstahl K240
Max. Belastung 20 kg pro Träger

BRACKET angled

for wood schelf
per pair
material: stainless steel K240
max. weight load
per bracket 20 kg



75.25TS19.305.<°




75.25TS19.355.<°

75.25TS19.405.<°

75.25TS25.305.<°

75.25TS25.355.<°

75.25TS25.405.<°



OMGEZETTE DRAGER

voor glas / hout

per paar

materiaal RVS K240

max. belasting 20 kg per drager

WINKELTRÄGER

für Glas / Holzboden

pro Satz

Material: Edelstahl K240

Max. Belastung 20 kg pro Träger

BRACKET

for glass / wood schelf

per pair

material: stainless steel K240

max. weight load

per bracket 20 kg

75.25WT205

75.25WT255

75.25WT305

75.25WT355

75.25WT405

VERBODINGSBUIS - 10 mm

per stuk

materiaal: RVS K240

VERBODINGSROHR - 10 mm

pro Stück

Material: Edelstahl K240

CONNECTING TUBE - 10 mm

per piece

material: stainless steel K240

75VR10.(L)

GLASBUFFER

per stuk

materiaal: PVC helder

GLASSAUGNOPPEN

pro Stück

Material: PVC - Transparent

SUCTION PAD

per piece

material: PVC - transparent

43.1002.30

MIDDENDRAGER

voor glas / hout

per stuk

materiaal: RVS K240

max. belasting 20 kg per drager

WINKELTRÄGER

für Glas / Holzboden

pro Stück

Material: Edelstahl K240

Max. Belastung 20 kg pro Träger

BRACKET

for glass / wood schelf

per piece

material: stainless steel K240

max. weight load

per bracket 20 kg



75.25WTM205

75.25WTM255

75.25WTM305

75.25WTM355

75.25WTM405



OMGEZETTE DRAGER schuin

per paar

materiaal: RVS K240

WINKELTRÄGER schräg

pro Satz

Material: Edelstahl K240

BRACKET angled




per pair


material: stainless steel K240

75.25WTS305.<°


75.25WTS355.<°

75.25WTS405.<°





Glasschap 8 mm
Glasboden 8 mm
Glass shelf 8 mm



75VR10 L = X +/- 3 mm

GLASHOUDER

per set
materiaal: RVS K240
max. belasting 15 kg per set


GLASTRÄGER

pro Satz
Material: Edelstahl K240
Max. Belastung 15 kg

GLASS BRACKET



per pair
material: stainless steel K240
max. weight load 15 kg

75.25GT1
75VR10.(L)



Houtschap
Holzboden
Wood shelf

Glasschap 8 mm
Glasboden 8 mm
Glass shelf 8 mm



MONODRAGER

voor hout / glas
per stuk
materiaal: RVS K240
max. belasting 20 kg per drager

MONOTRÄGER

für Holz / Glas
pro Stück
Material: Edelstahl K240
max. Belastung 20 kg pro Träger

MONO BRACKET

for wood / glass
per piece
material: stainless steel K240
max. weight load
per bracket 20 kg

75.25MT2.250

MONO CONFECTIEDRAGER T



per stuk
materiaal: RVS K240
max belasting 20 kg per drager

MONO KONFEKTIONSTRÄGER T

pro Stück
Material: Edelstahl K240
max. Belastung 20 kg pro Träger

MONO WARDROBE BRACKET T

per piece
material: stainless steel K240
max. weight load
per bracket 20kg



75.25MKT

CONFECTIEDRAGER



per paar
materiaal: RVS K240
max. belasting 30 kg

KONFEKTIONSTRÄGER





pro Satz
Material: Edelstahl K240
Max. Belastung 30 kg

WARDROBE BRACKET

per pair
material: stainless steel K240
max. weight load : 30 kg



75.25KT1B
75VR10.(L)
75KR30.(L)



CONFECTIEDRAGER

per paar
materiaal: RVS K240
max. belasting 30 kg

KONFEKTIONSTRÄGER

pro Satz
Material: Edelstahl K240
Max. Belastung 30 kg

WARDROBE BRACKET

per pair
material: stainless steel K240
max. weight load : 30 kg

75.25KT2B

75VR10.(L)

75KR30.(L)

DECORATIEDRAGER

per paar
materiaal: RVS K240

DEKORATIONSTRÄGER

pro Satz
Material: Edelstahl K240

DEKORATION FLAME

per pair
material: stainless steel K240

75.25DT15.25

75DR15.(L)

PRESENTATIEPEN - rond 6




per stuk
materiaal: RVS
max. belasting 2 kg

ENZELHAKEN - rond 6

pro Stück
Material: Edelstahl
Max. Belastung 2 kg

SINGLE HOOK - round 6

per piece
material: stainless steel
max. weight load : 2 kg



75EH15.6.100

75EH15.6.150

75EH15.6.200

75EH15.6.250

PRESENTATIEPEN - rond 8




per stuk
materiaal: RVS
max. belasting 5 kg

ENZELHAKEN - rond 8

pro Stück
Material: Edelstahl
Max. Belastung 5 kg

SINGLE HOOK - round 8

per piece
material: stainless steel
max. weight load: 5 kg







75EH15.8.200

75EH15.8.250

75EH15.8.300

200
250
300

FRONTPEN - rond 12

per stuk
materiaal: RVS K240
max. belasting 15 kg

ABHÄNGER - rund 12

pro Stück
Material: Edelstahl K240
Max. Belastung 15 kg

HANGERHOLDER - round 12



per piece
material: stainless steel K240
max. weight load 15 kg

75AB12G200

75AB12G250

75AB12G300

200
250
300

FRONTPEN - rond 25

per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER - rund 25

pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM - round 25

per piece
material: stainless steel K240
max. weight load 20 kg

75FHR15.25G200

75FHR15.25G250

75FHR15.25G300

FRONTPEN - rond 25 S/Z


per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER - rond 25 S/Z

pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg


FRONT ARM - round 25 S/Z

per piece
material: stainless steel K240
max. weight load 20 kg



75FHR15.25S300

75FHR15.25Z300



FRONTPEN E




per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER E

pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM E



per piece
material: stainless steel K240
max. weight load 20 kg





75FHE30G200

75FHE30G250

75FHE30G300



75FHE30S



75FHE30Z

FRONTPEN E S/Z

per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER E S/Z


pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM E S/Z

per piece
material: stainless steel K240
max. weight load 20 kg

75FHE30S

75FHE30Z



FRONTPEN - rond 25


per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER - rond 25

pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM - round 25

per piece
material: stainless steel K240
max. weight load 20 kg



75.25FHR25G200

75.25FHR25G250

75.25FHR25G300

FRONTPEN - rond 25 S/Z

per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER - rond 25 S/Z



pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM - round 25 S/Z

per piece
material: stainless steel K240
max. weight load 20 kg

75.25FHR25S

75.25FHR25Z



FRONTPEN E

per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER E

pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg



FRONT ARM E



per piece
material: stainless steel K240
max. weight load 20 kg

75.25FHE25G200



75.25FHE25G250

75.25FHE25G300





75.25FHE25S



75.25FHE25Z

FRONTPEN E S/Z

per stuk
materiaal: RVS K240
max. belasting 20 kg

FRONTHÄNGER E S/Z




pro Stück
Material: Edelstahl K240
Max. Belastung 20 kg

FRONT ARM E S/Z

per piece
material: stainless steel K240
max. weight load 20 kg

75.25FHE25S

75.25FHE25Z



KOOFDRAGER

per paar
materiaal: RVS K240

BLENDENTRÄGER

pro Satz
Material: Edelstahl K24

SHOP TRIM BRACKET

per pair
material: stainless steel K240

75.25BT15

75.25BT50

KOOFDRAGER SCHUIN

per paar

materiaal: RVS K240

BLENDENTRÄGER

pro Satz


Material: Edelstahl K240


SHOP TRIM BRACKET



per pair

material: stainless steel K240

75.25BTS200











DRAAGLIJST
per stuk (L / R)
materiaal: RVS K240

TRAGLEISTE
pro Stück (L / R)
Material: Edelstahl K240

SUPPORTING BEAM
per piece (L / R)
material: stainless steel K240

75.12TL1.768L
75.12TL1.768R



DRAAGLIJST INBOUW
per stuk
materiaal: RVS

TRAGLEISTE
pro Stück
Material: Edelstahl

SUPPORTING BEAM
per piece
material: stainless steel

75.12TL3.768

DRAAGLIJST INBOUW E / D

per stuk

materiaal: RVS

SCHLITZSCHIENE

pro Stück

Material: Edelstahl




SLOT PROFILE


per piece

material: stainless steel

75.12SL1152

75.12SLD1152





WANDDOP

per stuk
materiaal: RVS


WANDKNOPF

pro Stück
Material: Edelstahl

POINT

per piece
material: stainless steel

75.12WK



MOER VOOR WANDDOP

per stuk
materiaal: RVS


WANDKNOPF MUTTER

pro Stück
Material: Edelstahl

POINT END CAP

per piece
material: stainless steel

75.12WKM



OPVULRING

per set van 10 stuks
materiaal: nylon

AUSGLEICHSCHEIBE

Pro Satz á 10 Stück
Material: Polyamid

SHIM

per set á 10 pieces
material: Nylon

75.12WK.US

BRILLENHOUDER

per stuk
materiaal: RVS


BRILLENHALTER

pro Stück
Material: Edelstahl

SPECTACLE BRACKET

per piece
material: stainless steel

75.12BHR



BRILLENHOUDER 4H/5H

per stuk
materiaal: RVS





BRILLENHALTER 4H/5H


pro Stück
Material: Edelstahl

SPECTACLE BRACKET 4H/5H

per piece
material: stainless steel

75.12BHR780.4
75.12BHR975.5





OMGEZETTE DRAGER

per paar
materiaal: RVS K240
max. belasting 3 kg per drager


WINKELTRÄGER

Pro Satz
Material: Edelstahl K240
Max. Belastung 3 kg pro Träger

BRACKET

per pair
material: stainless steel K240
max. weight load 3 kg
per bracket

75.12WT1.165
75.12WT1.200



OMGEZETTE DRAGER

per paar
materiaal: RVS K240
max. belasting 3 kg per drager


WINKELTRÄGER

Pro Satz
Material: Edelstahl K240
Max. Belastung 3 kg pro Träger

BRACKET

per pair
material: stainless steel K240
max. weight load 3 kg
per bracket

75.12WT2.165
75.12WT2.200



VERBINDINGSBUIS - 10 mm

per stuk
materiaal: RVS K240

VERBINDUNGSRÖHR - 10 mm

pro Stück
Material: Edelstahl K240

CONNECTING TUBE - 10 mm

per piece
material: stainless steel K240

75.12VR10.(L)

GLASDRAGER - rond 10



per stuk
materiaal: RVS
max. belasting 4 kg per drager

GLASTRÄGER - rund 10

pro Stück
Material: Edelstahl
Max. Belastung 4 kg pro Träger

GLASS BRACKET - round 10

per piece
material: stainless steel
max. weight load 4 kg
per bracket



75.12GTR150
75.12GTR200

KOOFDRAGER



per paar
materiaal: RVS K240

BLENDE TRÄGER

Pro Satz
Material: Edelstahl K240

SHOP TRIM BRACKET

per pair
material: stainless steel K240



75.12BT10

Perfotube b.v.

Postadres / Postanschrift / Postal address: Postbus / Postfach / P.O. Box 115

NL-3925 ZJ Scherpenzeel Holland

Bezoekadres / Besucheradresse / Visiting address: De Hooge Hoek 13a

NL-3927 GG Renswoude Holland

+31 (0)318) 574 015

+31 (0)318) 650 324

info@perfotube.nl

www.perfotube.nl