

CONTENTS

version: PL-A-14-ENG

Introduction	
Colour codes and abbreviations	
HMB Finish	

PERFOLINE STANDARD

MDF panels	page 1-2
Profiles	page 3-7
Presentation hooks	page 8-9
Shelf brackets	page 10-12
Hanging brackets	page 12-13
Front arms	page 13-18
Wire products	page 18-19
Product hooks, back plates	page 19-20

PERFOLINE MATT

page 21-22

PERFOLINE CLEAR

Brochure holders	page 23
Picture holders	page 24
Shelves	page 24
Shoe shelves	page 25-26
Phone holders	page 26
Glasses holders	page 27-28

PERFOLINE SLIM

Introduction		
Glass brackets	Ø14	page 29
Front arms	Ø14	page 30
Hanging brackets	Ø14/20	page 30-31
Presentation hooks	Ø5	page 31
Presentation hooks	Ø4	page 32
Front arms	Ø12	page 33
Glass brackets	Ø12	page 33
Hanging brackets	Ø12/18	page 34

PERFOLINE LUX

Profile	page 35
Panel clip	page 35

PERFOLINE SPECIAL

Hand-made	page 36
Fire retardant panels	page 37
Printing of panels	page 38
Special sizes	page 39

PREFACE

Perfotube has been known for many years as a supplier to the interior construction sector. In recent years we have, in addition to manufacturing steel systems, also focused on supplying the so-called slot wall system. As a slot wall specialist we supply interior constructors, developers, interior specialists and furniture manufacturers with MDF slot wall panels. We have in stock MDF slot wall panels in standard sizes and standard colours.

Our Perfoline program consists of four groups of products.

PERFΘLINE® STANDARD

Here one can find standard slot wall panels and accessories as they are commonly known.

PERFΘLINE® MATT

These products resemble our high gloss chrome plated accessories, except for the matt chrome finish.

PERFΘLINE® CLEAR

In this group of products one can find all Acrylic products.

PERFΘLINE® SLIM

This is a completely new series which has been developed for a luxurious new slot wall panel. The very thin profile has a visible line of only 4 mm. The accessories are available in matt chrome finish. The relative thinness of the accessories contributes to an elegant look.

PERFΘLINE® LUX

Perfoline Lux is not a slot wall system, but keeps the horizontal profile which allows for implementation of glass shelves. It is possible to (LED) illuminate the glass shelves in the Perfoline Lux profile.

ADVANTAGES:

- The majority of our product supply range is in permanent stock.
- We keep our product range updated and constantly develop new concepts.
- Our advisors are well-trained and help you choose the right presentation system.
- Our facilities in the Far East allow us to guarantee a good price/quality ratio.
- Perfotube is able to produce special designs.
- Perfotube provides its customers with clear and organized documentation.

If you have any questions or remarks regarding this catalogue, the company, our employees or anything else, please contact us.

Tel +31 (0)318-57 40 15
Fax +31 (0)318-65 03 24
Internet www.perfotube.com
Mail info@perfotube.nl

HOW TO READ OUR ARTICLE NUMBERS

65.1001.50	complete number
65 .1001.50	article group number
65. 1001 .50	article number
65.1001. 50	colour and/or finish

COLOUR CODES FOR STANDARD PRODUCTS

.00	Mild steel	Raw
.06	Mild steel	Chrome-plated
.07	Mild steel	Satin Chrome-plated
.09	Mild steel	White
.10	Aluminum	Raw
.12	Aluminum	Satin silver
.30	Plastic	Neutral
.31	Plastic	Black
.32	Plastic	White
.37	Plastic	Red
.50	MDF	Blank
.53	MDF	Oak
.55	MDF	Maple
.58	MDF	Simba wengé
.59	MDF	Grained concrete look
.61	MDF	Beech
.62	MDF	Aluminum look
.64	MDF	Cherry select
.67	MDF	Grey
.68	MDF	Black
.69	MDF	White
.78	MDF	High gloss black
.79	MDF	High gloss white

Other colours are available on request. Please do not hesitate to contact us for further information.

Abbreviations:	Axis	Centre to centre size
	eo	Ellipse Oval
	fo	Flat Oval
	re	Rectangular

HMB FINISH

In addition to the Raw MDF panels, our slat wall panels can also be delivered with a HMB finish. This top layer is different from the standard finishes such as melamine and the normal HPL, which are common known in the interior branches. HMB is our development in finishing of panels, for which we have developed special colours and textures. The finish is particularly fast-dyed and has a perfect shine. The HMB finish gives wooden structures a natural looking authenticity. The panels are especially resistant to temperature changes and therefore not susceptible to the condition of the air.

Because we developed the HMB finishing ourselves, we are flexible and we can quickly respond to the wishes of the customers. There are approximately 40 different decors available with this unique quality. For every finishing we have the matching edge banding.

On our colour card one can find a number of possibilities of the HMB finishing. Are you looking for a different colour or finish? There are several possibilities to press the various brands of HPL on the panels. Please ask us for the possibilities.

Minor differences between the original colours and the colours shown here can not be prevented due to technical printing reasons. We can send you a colour sample of the desired finish on your request.



DARK GREY



RED



BRUSHED ALUMINUM LOOK



MAPLE




BEECH LIGHT



OAK




PEAR WHITE




CHERRY SELECT




COMINA ASH




WALNUT



SIMBA WENGÉ




EDGE BANDING



LEATHER LOOK BEIGE



LEATHER LOOK BROWN



LEATHER LOOK BLACK




Product	MDF 152.6
Description	MDF slat wall panel including 15 aluminum power profiles. In two connectable pieces with a total height of 1221 mm.
Profile Axis	152.6

Material	Height	Width	Depth	Article
MDF red	2442	1200	19	65.1002.37
MDF blank	2442	1200	19	65.1002.50
MDF oak	2442	1200	19	65.1002.53
MDF maple	2442	1200	19	65.1002.55
MDF simba wengé	2442	1200	19	65.1002.58
MDF concrete look	2442	1200	19	65.1002.59
MDF beech	2442	1200	19	65.1002.61
MDF alu-look	2442	1200	19	65.1002.62
MDF cherry select	2442	1200	19	65.1002.64
MDF grey	2442	1200	19	65.1002.67
MDF black	2442	1200	19	65.1002.68
MDF white	2442	1200	19	65.1002.69
MDF high gloss black	2442	1200	19	65.1002.78
MDF high gloss white	2442	1200	19	65.1002.79



Product	MDF 101.8
Description	MDF slat wall panel including 23 aluminum power profiles. In two connectable pieces with a total height of 1221 mm.
Profile Axis	101.8


Material	Height	Width	Depth	Article
MDF red	2442	1200	19	65.1001.37
MDF blank	2442	1200	19	65.1001.50
MDF oak	2442	1200	19	65.1001.53
MDF maple	2442	1200	19	65.1001.55
MDF simba wengé	2442	1200	19	65.1001.58
MDF concrete look	2442	1200	19	65.1001.59
MDF beech	2442	1200	19	65.1001.61
MDF alu-look	2442	1200	19	65.1001.62
MDF cherry select	2442	1200	19	65.1001.64
MDF grey	2442	1200	19	65.1001.67
MDF black	2442	1200	19	65.1001.68
MDF white	2442	1200	19	65.1001.69
MDF high gloss black	2442	1200	19	65.1001.78
MDF high gloss white	2442	1200	19	65.1001.79






POWER PROFILE

Slat wall power profile. (In combination with our standard slat wall panels only.) Due to their smooth edges, these profiles can spread forces and exceed other profiles in strength. The standard power profile is made from aluminium; optionally, we can provide plastic power profiles in several colours.




Product Description	STANDARD PROFILE For self production of slat wall panels.		
	Material	Length	Article
	Raw Aluminum	2400	65.1201.10
	Raw Aluminum	6000	65.1202.10




Product **TOMORROW PROFILE**
 Description Heavy load aluminum slat wall profile. This profile has three slits a piece.
 Profile Axis 40

Material	Height	Length	Article
Raw Aluminum	127	5000	65.1401.10
Anodised Aluminum	127	5000	65.1401.12



Product **NOVILINE PROFILE**
 Description Our strongest slat wall profile. By mounting this profile directly to the wall, the noviline profile gains extra power.
 Material Anodised Aluminum


Length	Article
6000	65.1501.10



Product **END PROFILE ROUNDED**
 Description Quarter circle around profile. End cover usage.
 Material Anodised Aluminum

Length
2500


Article
65.1301.12



Product **CORNER PROFILE ROUNDED**
 Description Quarter circle around profile. Used for corner connection purposes.
 Material Anodised Aluminum

Length
2500


Article
65.1302.12



Product **END PROFILE FLAT**
 Description Used for end cover purposes.
 Material Anodised Aluminum

Length
2500



Article
65.1303.12



Product **T-PROFILE**
 Description T-model profile. Used as butt joint connection.
 Material Anodised Aluminum

Length
2500



Article
65.1304.12



Product **RABBET PROFILE**
 Description Used in combination with slotted tubes.
 Material Anodised Aluminum

Length
2500


Article
65.1305.12



Product **FRENCH CLEAT HANGERS**
 Description Double set of aluminum devices for mounting panels to the wall. Sold in pairs.
 Material Raw Aluminum

Length
2400

Article
65.1306.10





Product Description	SINGLE HOOK, MODEL S Single pin, at the end converted by 20°. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Diameter	Length	Article
	Ø5	80	65.1601S.06
	Ø5	150	65.1602S.06
	Ø5	200	65.1608S.06
	Ø5	250	65.1603S.06
	Ø5	300	65.1607S.06



Product Description	SINGLE HOOK Single pin, at the end converted by 20°. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Diameter	Length	Article
	Ø6	70	65.1601.06
	Ø6	150	65.1602.06
	Ø6	230	65.1603.06
	Ø6	300	65.1607.06
	Ø10	150	65.1605.06
	Ø10	250	65.1606.06



Product Description	SINGLE T-HOOK Single pin, at the end converted by 20°. With a overarm for swinging ticket holder. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Diameter	Length	Article
	Ø5	50	65.1670.06
	Ø5	100	65.1671.06
	Ø5	150	65.1672.06
	Ø5	200	65.1673.06
	Ø5	250	65.1674.06



Product Description	DOUBLE HOOK Double hook for blister packs, at the end converted by 20°. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Diameter	Length	Article
	Ø4	50	65.1650.06
	Ø4	100	65.1651.06
	Ø4	150	65.1653.06
	Ø4	200	65.1654.06
	Ø4	250	65.1656.06
	Ø4	300	65.1657.06



Product **DOUBLE T-HOOK**
 Description Double hook, at the end converted by 20°. With a overarm for swinging ticket holder. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

	Diameter	Length	Article
	Ø4	50	65.1680.06
	Ø4	100	65.1681.06
	Ø4	150	65.1682.06
	Ø4	200	65.1683.06
	Ø4	250	65.1684.06



Product **TICKET HOLDER**
 Description Swinging holder for tickets. Fit for the T-hooks with overarm.
 Material Clear plastic

	Height	Width	Article
	40	53	66.0055.30



Product **ANTI-THEFT SINGLE HOOK**
 Description Single high-protection pin. With product security and retrieval security for the complete pin. Including ticket holder. Excluding key.
 Material Chrome-plated Steel / White Plastic

	Length	Article
	180	65.1693.06
	230	65.1694.06



Product **KEY**
 Description Key for Anti-theft single hook
 Material White plastic

	Article
	65.1690.32



Product	CONVERTED BRACKET	
Description	To carry wooden or glass shelves. Sold in pairs (L+R) Fit for Perfoline Standard profiles.	
Material	Chrome-plated Steel	
	Length	Article
	230	65.1701.06
	280	65.1702.06
	330	65.1703.06
	380	65.1704.06
Material	White Steel	
	Length	Article
	230	65.1701.09
	280	65.1702.09
	330	65.1703.09
	380	65.1704.09



Product	CONVERTED BRACKET ADJUSTABLE	
Description	Adjustable bracket to carry wooden or glass shelves. Sold in pairs (L+R) Fit for Perfoline Standard profiles.	
Material	White Steel	
	Length	Article
	200	65.1751.09
	250	65.1752.09
	300	65.1753.09
	350	65.1754.09
	400	65.1755.09



Product	MONO GLASS BRACKET		
Description	Triangle bracket for 6-8 mm glass shelf. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Steel		
	Width	Length	Article
	92	100	65.1761.00
Material	Chrome-plated Steel		
	92	100	65.1761.06
Material	White Steel		
	92	100	65.1761.09




Product	MONO WOOD BRACKET		
Description	Triangle bracket for 18 mm wooden shelf. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Steel		
	Width	Length	Article
	92	100	65.1762.00
Material	Chrome-plated Steel		
	92	100	65.1762.06
Material	White Steel		
	92	100	65.1762.09




Product	GLASS BRACKET		
Description	Bracket for 8-10 mm glass shelf. Sold in pairs (L+R) Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Length	Article	
	135	65.1760.06	



Product	SHELF BRACKET		
Description	Bracket for wooden/glass shelf. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Steel		
	Sizes	Depth	Article
	25x13	250	65.1781.00
Material	White Steel		
	25x13	250	65.1781.09
Material	Chrome-plated Steel		
	25x13	250	65.1781.06



Product	GLASS HOLDER		
Description	Holder for 8 mm glass. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Aluminum		
	Width	Depth	Article
	50	43	65.1763.10
	1000	43	65.1767.10
Material	Anodised Aluminum		
	50	43	65.1763.12
	1000	43	65.1767.12



Product	GLASS HOLDER HEAVY DUTY		
Description	Holder for 8 mm glass. Heavy duty version. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Aluminum		
	Width	Depth	Article
	75	93	65.1764.10
	1000	93	65.1768.10
Material	Anodised Aluminum		
	75	93	65.1764.12
	1000	93	65.1768.12



Product	WOOD HOLDER HEAVY DUTY		
Description	Holder for 19 mm wooden shelf. Heavy duty version. Sold per unit. Fit for Perfoline Standard profiles.		
Material	Raw Aluminum		
	Width	Depth	Article
	75	93	65.1766.10
	1000	93	65.1769.10



Product	CARRIER ARM FOR HANGING TUBE EO		
Description	Bracket with holder for transverse hanging tube (ellipse oval 35x20 mm). Sold per unit. Fit for Perfoline Standard profiles.		
Material	White Steel		
	Depth	Article	
	250	65.1775.09	
	330	65.1776.09	



Product	TUBE EO		
Description	Ellipse oval tube.		
Material	Chrome-plated Steel		
	Sizes	Length	Article
	35x20x1.5	3000	60.1029.06
	35x20x2	3000	60.1019.06



Product	CARRIER ARM FOR HANGING TUBE FO		
Description	Bracket with holder for transverse hanging tube (flat oval tube 30x15 mm). Sold per unit. Fit for Perfoline Standard profiles.		
Material	White Steel		
	Depth	Article	
	250	65.1777.09	
	330	65.1778.09	



Product	TUBE FO		
Description	Flat oval tube.		
Material	Chrome-plated Steel		
	Sizes	Length	Article
	30x15x1.2	3000	60.1008.06
	30x15x2	3000	60.1009.06



Product	HANGING BRACKET			
Description	Hanging bracket for displaying garments. Made of tube 30x15 flat oval. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Sizes	Width	Depth	Article
	30x15	665	250	65.1801.06
	30x15	665	330	65.1802.06
	30x15	1000	250	65.1803.06
	30x15	1000	330	65.1804.06



Product	FRONT ARM		
Description	Straight arm for clothes hangers. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Sizes	Depth	Article
	30x15	300	65.1910.06
	30x15	400	65.1911.06



Product **FRONTARM**
 Description Straight arm for clothes hangers with round endcap. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Sizes	Depth	Article
Ø25	150	65.1915.06
Ø25	200	65.1917.06



Product **STEPPED-ARM**
 Description Stepped arm for clothes hangers. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Sizes	Height	Depth	Article
30x15	190	300	65.1952.06



Product **FRONT ARM SLOPING**
 Description Diagonal arm for clothes hangers. With 8 or 9 balls. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Sizes	Depth	Article
30x15	300	65.1950.06
30x15	400	65.1951.06



Product **PURSE/BAG ARM**
 Description Straight arm with 5 hooks. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Diameter	Depth	Article
30x15	300	65.1920.06



Product	PURSE/BAG ARM SLOPING		
Description	Diagonal arm with 3 or 5 hooks. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Sizes	Depth	Article
	30x15	200	65.1921.06
	30x15	300	65.1922.06



Product	SOCK/TIE PRESENTATION		
Description	Extendable sock/tie hanger. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Depth		Article
	300-540		65.1955.06



Product	CLOTHES HANGER		
Description	Fixed clothes hanger. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Width	Depth	Article
	430	105	65.2020.06



Product	PANTS HANGER		
Description	Fixed pants hanger. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Width	Depth	Article
	400	105	65.2022.06



Product **BELTS PRESENTATION**
 Description Set of three support bars, each with 20 pins Ø5 mm to present belts. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Width	Depth	Article
595	155/255/355	65.6009.06



Product **JEWELRY STAR**
 Description Turnable star for presentation of jewelry. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Height	Diameter	Depth	Article
70	Ø325	465	65.2010.06



Product **HELMET HOLDER**
 Uitvoering Helmet presentation construction made from wire Ø 8 and wire Ø 6 mm. Fit for Perfoline Standard profiles.
 Materiaal Chrome-plated Steel

Height	Width	Depth	Artikel
230	150	340	65.1935.06



Product **HAT HOLDER**
 Uitvoering Hat presentation construction made from wire Ø 6 mm. Fit for Perfoline Standard profiles.
 Materiaal Chrome-plated Steel

Height	Width	Depth	Artikel
180	160	290	65.1932.06



Product	HAT HOLDER			
Description	Hat holder with a Ø75 mm support plate. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Diameter	Height	Depth	Article
	Ø8	155	200	65.1930.06
Material	White Steel			
	Ø8	155	200	65.1930.09



Product	CAP HOLDER			
Description	Holder to present caps. Made of wire Ø4 mm. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	180	90	120	65.1931.06



Product	BALL RING		
Description	Presentation for balls. Fit for Perfoline Standard profiles.		
Material	Chrome-plated Steel		
	Diameter	Depth	Article
	Ø150	270	65.1901.06
	Ø200	320	65.1903.06
Material	White Steel		
	Ø150	270	65.1901.09



Product	GLASSES HOLDER			
Description	To present spectacles. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Diameter	Width	Depth	Article
	Ø5	140	160	65.2030.06



Product **BOOK HOLDER**
 Description Drooping book shelf with raised converted edge. Fit for Perfoline Standard profiles.
 Material Steel Ral 9006

Height	Width	Depth	Article
170	100	140	65.1980.02



Product **SHOE SHELF PLUS**
 Description Metal shoe shelf with 40 mm high front for (price) ticket. Fit for Perfoline Standard profiles.
 Material Steel Ral 9006

Height	Width	Depth	Article
60	250	100	65.1960.02



Product **WIRE SHELF**
 Description Drooping wire shelf with raised converted edge. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Height	Width	Depth	Article
40	255	360	65.2015.06



Product **WIRE SHELF SLANTING**
 Description Slanting wire shelf. Fit for Perfoline Standard profiles.
 Material Chrome-plated Steel

Height	Width	Depth	Article
120-75	610	300	65.2001.06



Product	WIRE SHELF (L)			
Description	Wire shelf. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	89	575	315	65.2002.06



Product	WIRE SHELF (M)			
Description	Wire shelf. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	205	300	300	65.2003.06



Product	WIRE SHELF (S)			
Description	Wire shelf. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	150	305	155	65.2004.06



Product	CLOCK HOOK			
Description	To present clocks. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	70	25	12	65.1940.06



Product	PAINTING HOOK			
Description	To present paintings. Fit for Perfoline Standard profiles.			
Material	Chrome-plated Steel			
	Height	Width	Depth	Article
	70	26	8	65.1942.06
Material	White Steel			
	70	26	8	65.1942.09



Product	BACK PLATE			
Description	Back plate, with or without two holes Ø4 mm with an axis of 26 mm. Fit for Perfoline Standard profiles.			
Material	Raw Steel			
	Description	Height	Width	Article
	Without holes	70	52	65.1970.00
	With holes	70	52	65.1972.00



Product	BACK PLATE S			
Description	Back plate small. Fit for Perfoline Standard profiles.			
Material	Raw Steel			
	Height	Width	Article	
	70	27	65.1971.00	



Product	CONVERTED BRACKET MATT		
Description	To carry wooden or glass shelves. Sold in pairs (L+R) Fit for Perfoline Standard profiles.		
Material	Satin Chrome-plated Steel		
	Length	Article	
	250	65.1725S.07	
	350	65.1730S.07	



Product	HANGING BRACKET MATT			
Description	Hanging bracket for displaying garments. Made of tube 30x15 flat oval. Fit for Perfoline Standard profiles.			
Material	Satin Chrome-plated Steel			
	Sizes	Width	Depth	Article
	25x12.5	600	300	65.1800S.07



Product	FRONT ARM MATT		
Description	Straight arm for clothes hangers. Fit for Perfoline Standard profiles.		
Material	Satin Chrome-plated Steel		
	Sizes	Depth	Article
	30x15	300	65.1910S.07



Product	FRONT ARM SLOPING MATT		
Description	Diagonal arm for clothes hangers. With 10 balls. Fit for Perfoline Standard profiles.		
Material	Satin Chrome-plated Steel		
	Sizes	Depth	Article
	25x12.5	300	65.1954S.07



Product **SINGLE HOOK MATT**
 Description Single pin, at the end converted by 20°. Fit for Perfoline Standard profiles.
 Material Satin Chrome-plated Steel

	Sizes	Depth	Article
	Ø5	100	65.1600S.07
	Ø5	150	65.1602S.07
	Ø5	200	65.1608S.07
	Ø5	250	65.1603S.07



Product **DOUBLE HOOK MATT**
 Description Double hook for blister packs, at the end converted by 20°. Fit for Perfoline Standard profiles.
 Material Satin Chrome-plated Steel

	Sizes	Depth	Article
	Ø5	100	65.1650S.07
	Ø5	150	65.1653S.07
	Ø5	200	65.1654S.07
	Ø5	250	65.1656S.07



Product	BROCHURE HOLDER A6				
Description	To present A6 brochures. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Height	Width	Depth	Article
	2.5	155	110	37	65.3001.30



Product	BROCHURE HOLDER A6+				
Description	To present A6 brochures. Extra high. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Height	Width	Depth	Article
	2.5	213	115	26	65.3002.30



Product	BROCHURE HOLDER A5				
Description	To present A5 brochures. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Height	Width	Depth	Article
	2.5	155	165	37	65.3003.30



Product	BROCHURE HOLDER A4				
Description	To present A4 brochures. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Height	Width	Depth	Article
	2.5	250	235	39	65.3004.30



Product	PICTURE HOLDER A5			
Description	To present pictures. Fit for Perfoline Standard profiles.			
Material	Acrylic			
	Thickness	Height	Width	Article
	3	215	160	65.3015.30




Product	PICTURE HOLDER A4			
Description	To present pictures. Fit for Perfoline Standard profiles.			
Material	Acrylic			
	Thickness	Height	Width	Article
	3	320	215	65.3011.30



Product	PICTURE HOLDER A4+			
Description	To present pictures. Fit for Perfoline Standard profiles.			
Material	Acrylic			
	Thickness	Height	Width	Article
	3	320	320	65.3012.30




Product	ACRYLIC SHELF			
Description	Shelf with downwards converted sides. Fit for Perfoline Standard profiles.			
Material	Acrylic			
	Thickness	Width	Depth	Article
	5	400	205	65.3013.30
	5	400	305	65.3014.30



Product	SHOE SHELF WITH FRONT				
Description	Shoe shelf with converted front. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Width	Depth	Article	
	2.5	250	115	65.3101.30	



Product	SHOE SHELF SCAN				
Description	Shoe shelf with scan front. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Height	Width	Depth	Article
	3	40	250	118	65.3202.30



Product	SHOE SHELF FLAT				
Description	Shoe shelf flat. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Width	Depth	Article	
	3	250	100	65.3103.30	



Product	SHOE SHELF LEFT				
Description	Shoe shelf to present a left shoe. Fit for Perfoline Standard profiles.				
Material	Acrylic				
	Thickness	Width	Depth	Article	
	5	260	100	65.3104.30	



Product	SHOE SHELF RIGHT			
Description	Shoe shelf to present a right shoe. Fit for Perfoline Standard profiles.			
Material	Acrylic			
	Thickness	Width	Depth	Article
	5	260	100	65.3105.30



Product	MOBILE PHONE HOLDER			
Description	Bracket to present a mobile phone. Fit for Perfoline Standard profiles, this holder can also stand on its own.			
Material	Acrylic			
	Height	Width	Depth	Article
	115	57	75	65.3110.30



Product	SMARTPHONE HOLDER			
Description	Bracket to present a smartphone. Fit for Perfoline Standard profiles, this holder can also stand on its own.			
Material	Acrylic			
	Height	Width	Depth	Article
	110	73	73	65.3024.30



Product	TABLET HOLDER			
Description	Bracket to present a tablet. Fit for Perfoline Standard profiles, this holder can also stand on its own.			
Material	Acrylic			
	Height	Width	Depth	Article
	235	193	90	65.3020.30



Product	SPECTACLES HOLDER OPEN
Description	To present spectacles in a open position. Fit for Perfoline Standard profiles.
Material	Acrylic

Article
65.3115.30



Product	SPECTACLES HOLDER CLOSED
Description	To present spectacles in a folded position. Fit for Perfoline Standard profiles.
Material	Acrylic

Article
65.3116.30

PERF[⊖]LINE[®] SLIM



PERFOLINE SLIM

Introduction


Glass brackets	Ø14	page 29
Front arms	Ø14	page 30
Stepped arm	Ø14	page 30
Slanted arm	Ø14	page 30
Hanging brackets	Ø14/20	page 30-31
Presentation hooks	Ø5	page 31
Presentation hooks	Ø4	page 32
Glass brackets	Ø12	page 33
Front arms	Ø12	page 33
Stepped arm	Ø12	page 33
Slanted arm	Ø12	page 33
Hanging brackets	Ø12/18	page 34

PERFOLINE SLIM

Our newest series of slat wall panels has a very new sleek profile and give a minimalist impression. Due to an only 4 mm high sightline, these slat walls have got an elegant look. Complemented by a powerful line assortment in two different diameters, Perfoline Slim presents a new dimension of slat walls.

We deliver completely milled panels, with various dimensions, axis sizes and finishes, just as we do in the Perfoline Standard range. Please do not hesitate to contact us about all possibilities of the Perfoline Slim products.

All Slim accessories are provided with a frosted chrome finish. A range of pins with a diameter of 14 mm and a normal hook plate, as well as a series of pins with a diameter of 12 mm with an extra narrow hook plate for an even more subtle appearance are available.





Product	GLASS HOLDER		
Description	Glass holder for 8mm glass. Fit for Perfoline Slim profiles. Sold per unit.		
	Width	Depth	Article
	50	43	65.4165.10
	1000	43	65.4166.10



Product	CARRYING ARM FOR GLASS Ø14 OS		
Description	Straight pin with one sided glass support. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø14	200	65.4120.07
	Ø14	300	65.4130.07



Product	CARRYING ARM FOR GLASS Ø14 DS		
Description	Straight pin with double sided glass support. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø14	200	65.4121.07
	Ø14	300	65.4131.07



Product	CARRYING ARM FOR GLASS MONO Ø14			
Description	Mono glass arm for 8 mm glass. Fit for Perfoline Slim profiles.			
	Diameter	Width	Depth	Article
	Ø14	240	220	65.4160.07



Product Description **FRONT ARM Ø14**
Straight pin with stiff at the end. Fit for Perfoline Slim profiles. Sold per unit.

Diameter	Length	Article
Ø14	100	65.4105.07
Ø14	230	65.4106.07
Ø14	350	65.4107.07



Product Description **FRONT ARM STEPPED Ø14**
Stepped pin. Fit for Perfoline Slim profiles. Sold per unit.

Diameter	Height	Length	Article
Ø14	115	350	65.4110.07



Product Description **FRONT ARM SLOPING Ø14**
Curved pin with 9 studs for clothes hangers. Fit for Perfoline Slim profiles. Sold per unit.

Diameter	Length	Article
Ø14	370	65.4115.07




Product Description **CARRIER ARM FOR HANGING BRACKET Ø14**
Carrier arm to be used with transverse carrier tube. Fit for Perfoline Slim profiles. Sold per unit.

Diameter	Length	Article
Ø14	310	65.4150.07



Product Description	CARRIER ARM FOR HANGING BRACKET Ø14 OS Carrier arm to be used with transverse carrier tube. With one sided glass support. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter Ø14	Length 310	Article 65.4140.07



Product Description	CARRIER ARM FOR HANGING BRACKET Ø14 DS Carrier arm to be used with transverse carrier tube. With double sided glass support. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter Ø14	Length 310	Article 65.4145.07



Product Description	CARRIER TUBE FOR HANGING BRACKET Ø20 Transverse carrier tube for hanging bracket. To be used with carrier arms. Sold per unit.		
	Diameter Ø 20	Length 625	Article 65.4155.07
	Ø 20	1000	65.4156.07
	Ø 20	1220	65.4157.07



Product Description	SINGLE HOOK SL Single pin, at the end converted by 20°. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter Ø 6	Length 100	Article 65.4172S.07
	Ø 6	150	65.4173S.07
	Ø 6	200	65.4174S.07
	Ø 6	250	65.4175S.07



Product Description	BLISTER HOOK SL Double hook for blister packs. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø4	100	65.4176S.07
	Ø4	150	65.4177S.07
	Ø4	200	65.4178S.07
	Ø4	250	65.4179S.07



Product Description	CARRIER ARM FOR GLASS Ø12		
	Straight arm with two support pins Ø8 mm for glass. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø12	200	65.4220.07
	Ø12	310	65.4230.07



Product Description	FRONT ARM Ø12		
	Straight pin with stiff Ø6 mm. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø12	110	65.4205.07
	Ø12	310	65.4207.07



Product Description	FRONT ARM STEPPED Ø12			
	Stepped pin. Fit for Perfoline Slim profiles. Sold per unit.			
	Diameter Ø12	Height 115	Length 310	Article 65.4210.07



Product Description	FRONT ARM SLOPING Ø12		
	Curved pin with 8 studs Ø6 mm for clothes hangers. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter	Length	Article
	Ø12	310	65.4215.07



Product Description	CARRIER ARM FOR HANGING BRACKET Ø12		
	Carrier arm to be used with transverse carrier tube. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter Ø12	Length 310	Article 65.4250.07






Product Description	CARRIER ARM FOR HANGING BRACKET Ø12 FOR GLASS		
	Carrier arm to be used with transverse carrier tube. With two support pins Ø8 mm for glass. Fit for Perfoline Slim profiles. Sold per unit.		
	Diameter Ø12	Length 310	Article 65.4240.07




Product Description	CARRIER TUBE FOR HANGING BRACKET Ø18		
	Transverse carrier tube for hanging bracket. To be used with carrier arms. Sold per unit.		
	Diameter Ø 18	Length 600	Article 65.4255.07
	Ø 18	1000	65.4256.07
	Ø 18	1200	65.4257.07

Product	LUX PROFILE	
Description	Horizontal profile for 8 mm glass shelves. With space for optional LED lighting.	
Material	Aluminum raw	
	Length 6050	Article 65.5065.10



Product	PANEL CLIP	
Description	Metal clip to mount wooden back panels between the Perfoline LUX profiles.	
Material	Stainless Steel	
		Article 65.5002.20




HAND-MADE

The hand-made slat wall panel is developed for the realization of an optimal presentation of heavy products. This unique, hand-made slat wall panel is a high-quality product due to its multi-layer structure.

This multi-layer panel, containing a bonded aluminum profile which was especially developed for this application, ensures an extremely high carrying capacity. The top layer can be provided with any current HMB finishing and therefore it can also be combined with the standard slat wall panels.

Different sheet dimensions, various designs and different profile axis can be delivered quickly due to our ultra-modern machinery. There are almost unlimited possibilities for this high capacity panel. Our standard accessories naturally fit into the hand-made panels.



FIRE SHIELDING PANELS

Safety comes first. That is why fire safety is becoming more and more important. Our fire shielding panels are extremely popular. These panels are treated with a fire resistant fluid. This panel can be delivered with any HMB finish. Because of its power profile, this panel can easily be used with our standard accessories. Sizes and prices are available on request. For further information or specifications, please contact us.



PRINTING OF PANELS

The printing of panels with, for instance, a visual has become increasingly popular. We are able to print an image on the slat wall panels. This is done digitally, providing you with a wide range of possibilities such as languages and image points in small editions, without time-consuming procedures such as film production set-up costs etc. One can create a specific atmosphere with wall-sized images, which is often more difficult if normal HPL is used.

Panels up to sizes of 1600 x 3200 mm can be printed. Due to a 6 colour printing technique this results in an unparalleled printing quality. All you have to do is to deliver a high-quality digital photo file and we will do the rest for you.

Convince yourself and arrange an appointment for further advice about the many possibilities of printing slat wall panels.



SPECIAL SIZES

The standard slat wall panels are sized 1200 mm wide and 2442 mm high. In these panels the grooves have an axis distance of 101.8 mm.

In order to allow for unique and specific appearance of the wall systems, we can also produce panels of different sizes besides implementation of a panel with special colours or printing of the panels. You have the ability to order higher/lower and/or wider/smaller panels. We also offer the possibility to give your presentation its own appearance by altering the axis distance of the profiles. Do you prefer grooves which are closer together or further apart? There are many possibilities. The number of grooves/trenches can also be altered on request. Our production machinery is capable of milling different axis sizes:

- 76,3 mm
- 88 mm
- 101,8 mm
- 152,6 mm
- 203,5 mm
- 244,2 mm
- 305,3 mm

For further information or specifications, please do not hesitate to contact us.



Perfotube b.v.
P.O. Box 115
NL-3925 ZJ Scherpenzeel
Visit address: Hooge Hoek 13a
NL-3927 GG Renswoude
The Netherlands
+31 (0) 318 574 015
+31 (0) 318 650 324
info@perfotube.nl

www.perfotube.com